INDEX TO AUTHORS

A

Allen, Thomas Hunter, Boyd, G. E., and Bodine, Joseph Hall. Enzymes in ontogenesis (Orthoptera). XXI. Unimolecular films and fractions of protyrosinase activators from grasshopper egg oil, 785

Anslow, William P., Jr. See *Binkley, Anslow, and du Vigneaud*, 559

B

Baer, Erich, and Fischer, Hermann O. L. Dimeric *dl*-glyceraldehyde-1,3-diphosphate, 563

Bailey, B., Belfer, Samuel, Eder, Howard, and Bradley, H. C. Oxidation, reduction, and sulfhydryl in autolysis, 721

Barrus, Dorothy. See *Sunderman*, 185

Bebb, K. C. See *Treadwell, King, Bebb, and Tidwell*, 203

Beck, Lyle Vibert. Organic phosphate and "fructose" in rat intestinal mucosa, as affected by glucose and by phlorhizin, 403

Belfer, Samuel. See *Bailey, Belfer, Eder, and Bradley*, 721

Benditt, Eleanor. See *Sunderman*, 185

Bergeim, Olaf. See *Kirch and Bergeim*, 575

Bergmann, Max. See *Stein, Moore, Stamm, Chou, and Bergmann*, 121

Bergström, Sune, and Wintersteiner, O. Autoxidation of sterols in colloidal aqueous solution. II. Δ^6-Cholestenediol-3(β),5, a rearrangement product of 7(β)-hydroxycholesterol, 503

Berman, R. A. See *Talbot, Berman, and MacLachlan*, 211

Bernheim, Frederick. The oxidation of benzoic acid and related substances by certain *Mycobacteria*, 383

— and **Bernheim, Mary L. C.** Note on the sarcosine oxidase, 391

Bernheim, Mary L. C. See *Bernheim and Bernheim*, 391

Bessey, Otto A. See *Stotz and Bessey*, 625

Binkley, Francis, Anslow, William P., Jr., and du Vigneaud, Vincent. The formation of cysteine from *ll*-S-(β-amino-β-carboxyethyl)homocysteine by liver tissue, 559

Biskind, M. S. See *Shelesnyak and Biskind*, 663

Bloch, Konrad, and Rittenberg, D. The biological formation of cholesterol from acetic acid, 297

Bloor, W. R. See *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473

Bobbitt, Blanche G., and Deuel, Harry J., Jr. Studies on ketosis. XX. The effect of glycogen on the oxidation of butyric acid by rat liver slices, 1

Bodine, Joseph Hall. See *Allen, Boyd, and Bodine*, 785

Bonsnes, Roy W. See *White, Bonsnes, and Long*, 447

Boyd, Eldon M. Species variation in normal plasma lipids estimated by oxidative micromethods, 131

Boyd, G. E. See *Allen, Boyd, and Bodine*, 785

Boyer, Paul D., Shaw, James H., and Phillips, Paul H. Studies on manganese deficiency in the rat, 417

Bradley, H. C. See *Bailey, Belfer, Eder, and Bradley*, 721

Brewer, John I. See *Weinhouse and Brewer*, 617

Brown, Andrea N. See *Lowry, Hastings, Hull, and Brown*, 271

—. See *Lowry, McCay, Hastings, and Brown*, 281

Brown, George Bosworth. See *du Vigneaud, Brown, and Chandler*, 59

Buhs, Rudolf P. See *Scudi and Buhs*, 665

Burris, R. H. Distribution of isotopic nitrogen in *Azotobacter vinelandii*, 509

C

Cadden, J. F., and Dill, L. V. Some properties of a polyphenoloxidase

present in cell-free kidney extracts, 105

Cajori, F. A. The effect of various substances on the activity of purified yeast carboxylase, 357

Chandler, Joseph P. See *du Vigneaud, Brown, and Chandler*, 59

Chanutin, Alfred, Ludewig, Stephan, and **Masket, A. V.** Studies on the calcium-protein relationship with the aid of the ultracentrifuge. I. Observations on calcium caseinate solutions, 737

—. See *Ludewig, Chanutin, and Masket*, 753

—. See *Masket, Chanutin, and Ludewig*, 763

Chou, Chi-Yuan. See *Stein, Moore, Stamm, Chou, and Bergmann*, 121

Clark, Leland C., Jr. See *Kochakian and Clark*, 795

Clarke, H. T. See *Mazur and Clarke*, 39

Cox, William W., and **Wendel, William B.** The normal rate of reduction of methemoglobin in dogs, 331

Craig, Lyman C., and **Jacobs, Walter A.** The aconite alkaloids. X. On napelline, 611

— and —. The veratrine alkaloids. XIII. The dehydrogenation of protoveratrine, 427

—. See *Jacobs and Craig*, 589, 605

D

Deuel, Harry J., Jr. See *Bobbitt and Deuel*, 1

Dill, L. V. See *Cadden and Dill*, 105

Dimler, Robert J., and **Link, Karl Paul.** The characterization of lactic acid as the benzimidazole derivative, 557

—. See *Lohmar, Dimler, Moore, and Link*, 551

Dorfman, Ralph I. See *Fish and Dorfman*, 15

—. See *Fish, Dorfman, and Young*, 715

Dounce, Alexander L. Further observations concerning the preparation and properties of catalase from different sources. I. Crystalline lamb liver catalase. II. Preparation of crystalline beef liver catalase by use of acetone or alcohol, 497

Drake, B. B., Smythe, C. V., and **King, C. G.** Complexes of dehydroascorbic acid with three sulfhydryl compounds, 89

E

Eder, Howard. See *Bailey, Belfer, Eder, and Bradley*, 721

Edman, P. V. A micromethod for the estimation of cerebrosides in nerve tissue, 219

Elliott, K. A. C., and **Libet, B.** Studies on the metabolism of brain suspensions. I. Oxygen uptake, 227

Elman, Robert. See *White and Elman*, 797

Elvehjem, C. A. See *Schaefer, McKibbin, and Elvehjem*, 321

Evans, Cyril D. See *Manley and Evans*, 701

Evans, E. A., Jr., Slotin, Louis, and **Vennesland, Birgit.** Carbon dioxide assimilation in cell-free liver extracts, 565

F

Fierke, Scheuring S. See *Rose and Fierke*, 115

Fischer, Hermann O. L. See *Baer and Fischer*, 563

Fish, William R., and **Dorfman, Ralph I.** Metabolism of the steroid hormones. II. The conversion of α-estradiol to estrone and β-estradiol by the ovariectomized-hysterectomized rabbit, 15

—, —, and **Young, William C.** Metabolism of the steroid hormones. III. The isolation of pregnandiol-3(α),20(α) from the urine of pregnant chimpanzees, 715

G

Gallagher, T. F. See *Potts and Gallagher*, 561

Gentzkow, Cleon J. An accurate method for the determination of blood urea nitrogen by direct nesslerization, 531

Gettler, Alexander O., and **Umberger, Charles J.** A quantitative method for ethyl alcohol normally present in blood, 633

Gingrich, Wendell. See *Schlenk and Gingrich*, 295
Greenwald, Isidor. The solubility of calcium phosphate. I. The effect of pH and of amount of solid phase, 703
II. The solubility product, 711
Guest, George Martin. See *Rapoport and Guest*, 671
Guirard, Beverly M. See *Snell, Guirard, and Williams*, 519

H

Haagen-Smit, A. J. See *Raper and Haagen-Smit*, 311
Haas, Erwin, Harrer, Carter J., and **Hogness, T. R.** Cytochrome reductase. II. Improved method of isolation; inhibition and inactivation; reaction with oxygen, 341
Handler, Philip, and **Klein, J. Raymond.** The inactivation of pyridine nucleotides by animal tissues *in vitro*, 49
Harrer, Carter J. See *Haas, Harrer, and Hogness*, 341
Hastings, A. Baird. See *Klemperer, Hastings, and Van Slyke*, 433
—. See *Lowry and Hastings*, 257
—. See *Lowry, Hastings, Hull, and Brown*, 271
—. See *Lowry, McCay, Hastings, and Brown*, 281
Heidelberger, Michael. See *Mayer and Heidelberger*, 567
Hemingway, Allan. See *Slade, Wood, Nier, Hemingway, and Werkman*, 133
Hess, W. C., and **Sullivan, M. X.** Canine cystinuria. The effect of feeding cystine, cysteine, and methionine at different dietary protein levels, 545
Hitchings, George H. The estimation of hypoxanthine, 43
Hodge, Harold Carpenter. See *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
Hogness, T. R. See *Haas, Harrer, and Hogness*, 341
Hughes, Hettie B. Determination of the keto derivatives of cholic and desoxycholic acids in bile, 11
—. See *Schmidt and Hughes*, 771
Hull, Tatiana Z. See *Lowry, Hastings, Hull, and Brown*, 271
Hyde, Elizabeth. Creatine feeding and creatine-creatinine excretion in males and females of different age groups, 301

J

Jacobs, Walter A., and **Craig, Lyman C.** The aconite alkaloids. VIII. On atisine, 589
IX. The isolation of two new alkaloids from *Aconitum heterophyllum*, heteratisine and hetisine, 605
—. See *Craig and Jacobs*, 427, 611
Johnson, C. R. See *Koenig and Johnson*, 159

K

Kalckar, Herman M. The enzymatic action of myokinase, 299
Katzenelbogen, Solomon. See *Snyder and Katzenelbogen*, 223
Kensler, C. J., Young, N. F., and **Rhoads, C. P.** The inhibition of yeast carboxylase by split-products of N,N-dimethylaminoazobenzene, 465
King, C. G. See *Drake, Smythe, and King*, 89
King, W. C. See *Treadwell, King, Bebb, and Tidwell*, 203
Kirch, Ernst R., and **Bergeim, Olaf.** The chemical determination of thiamine, 575
Klein, J. Raymond. See *Handler and Klein*, 49
Klemperer, Friedrich W., Hastings, A. Baird, and **Van Slyke, Donald D.** The dissociation constants of hydroxylysine, 433
Kochakian, Charles D., and **Clark, Leland C., Jr.** The effect of testosterone propionate on the arginase content of the liver, kidney, and intestine, 795
Koenig, Ruth Adele, and **Johnson, C. R.** Spectrophotometric determination of iron. II. Use of 2,2′-bipyridine, 159

L

Lauffer, Max A. The homogeneity of bushy stunt virus protein as determined by the ultracentrifuge, 99

Lavietes, Paul H. See *Riggs, Lavietes, and Man*, 363
Lehninger, Albert L. The acid-splitting reaction of acetoacetic acid and the enzymatic formation of acetic acid from acetoacetic acid, 147
Libet, B. See *Elliott and Libet*, 227
Lindner, Manfred. See *Pollack and Lindner*, 655
Link, Karl Paul. See *Dimler and Link*, 557
—. See *Lohmar, Dimler, Moore, and Link*, 551
Locke, Arthur. See *Main and Locke*, 729
Lohmar, Rolland, Dimler, Robert J., Moore, Stanford, and **Link, Karl Paul.** Carbohydrate characterization. III. The identification of hexuronic or saccharic acids as benzimidazole derivatives, 551
Long, C. N. H. See *White, Bonsnes, and Long*, 447
Lowry, Oliver H., and **Hastings, A. Baird.** Histochemical changes associated with aging. I. Methods and calculations, 257
—, —, **Hull, Tatiana Z.,** and **Brown, Andrea N.** Histochemical changes associated with aging. II. Skeletal and cardiac muscle in the rat, 271
—, **McCay, C. M., Hastings, A. Baird,** and **Brown, Andrea N.** Histochemical changes associated with aging. III. The effects of retardation of growth on skeletal muscle, 281
Ludewig, Stephan, Chanutin, Alfred, and **Masket, A. V.** Studies on the calcium-protein relationship with the aid of the ultracentrifuge. II. Observations on serum, 753
—. See *Chanutin, Ludewig, and Masket*, 737
—. See *Masket, Chanutin, and Ludewig*, 763

M

MacLachlan, E. A. See *Talbot, Berman, and MacLachlan*, 211
MacLachlan, P. L., Hodge, Harold Carpenter, Bloor, W. R., Welch, Eileen A., Truax, Frederick L., and **Taylor, J. D.** Lipids of the fasting mouse. II. The fat to water relation in the liver and the fractionation of the liver phospholipids, 473
Main, Edna R., and **Locke, Arthur.** Carbonic anhydrase. II. Zinc in its relation to carbonic anhydrase activation and inactivation, 729
Man, Evelyn B. See *Riggs, Lavietes, and Man*, 363
Manley, Ralph H., and **Evans, Cyril D.** The critical peptization temperatures of zein in concentrated ethyl alcohol, 701
Masen, John M. See *Gentzkow*, 531
Masket, A. V., Chanutin, Alfred, and **Ludewig, Stephan.** Studies on the calcium-protein relationship with the aid of the ultracentrifuge. III. Influence of augmentation of serum with calcium and phosphate salts, 763
—. See *Chanutin, Ludewig, and Masket*, 737
—. See *Ludewig, Chanutin, and Masket*, 753
Mayer, Gerda Gernsheim, and **Sobotka, Harry.** Photoelectric determination of *dl*-α-tocopherol in serum, 695
Mayer, Manfred, and **Heidelberger, Michael.** Velocity of combination of antibody with specific polysaccharides of pneumococcus, 567
Mazur, Abraham, and **Clarke, H. T.** Chemical components of some autotrophic organisms, 39
McCay, C. M. See *Lowry, McCay, Hastings, and Brown*, 281
McIntire, Floyd C., Peterson, W. H., and **Riker, A. J.** A polysaccharide produced by the crown-gall organism, 491
McKibbin, J. M. See *Schaefer, McKibbin, and Elvehjem*, 321
Miller, A. T., Jr. Studies on tissue water. I. The determination of blood water by the distillation method, 65
Moore, Stanford. See *Lohmar, Dimler, Moore, and Link*, 551

—. See *Stein, Moore, Stamm, Chou, and Bergmann*, 121

Moyer, A. W., and **du Vigneaud, Vincent.** The structural specificity of choline and betaine in transmethylation, 373

Mylon, E., Winternitz, M. C., and **de Sütö-Nagy, G. J.** The determination of fibrinogen with protamine, 21

N

Nelson, J. Walter. See *Seibert and Nelson*, 29

Nichols, Peter L., Jr. See *Niemann and Nichols*, 191

Niemann, Carl, and **Nichols, Peter L., Jr.** The synthesis of *D*-erythro- and *D*-threo-α-amino-β,γ-dihydroxy-*n*-butyric acids, 191

Nier, A. O. See *Slade, Wood, Nier, Hemingway, and Werkman*, 133

P

Pangborn, Mary C. Isolation and purification of a serologically active phospholipid from beef heart, 247

Peterson, W. H. See *McIntire, Peterson, and Riker*, 491

Phillips, Paul H. See *Boyer, Shaw, and Phillips*, 417

Pollack, Maxwell A., and **Lindner, Manfred.** Glutamine and glutamic acid as growth factors for lactic acid bacteria, 655

Potts, Albert M., and **Gallagher, T. F.** Cystine, tyrosine, and arginine content of high potency pressor and oxytocic pituitary hormones, 561

R

Raper, John R., and **Haagen-Smit, A. J.** Sexual hormones in *Achlya*. IV. Properties of hormone A of *Achlya bisexualis*, 311

Rapoport, S., and **Guest, George Martin.** The formation of phosphorylated glyceric acid in the blood cells of various species, 671

Reinecke, Roger M. The determination of glucose in minimal quantities of blood, 351

Reineke, E. P., Williamson, M. B., and **Turner, C. W.** The effect of progressive iodination on the thyroidal activity of iodinated casein, 285

Reiser, Raymond. The lipids of the duodenal mucosa of swine during the absorption of fat, 109

Rhoads, C. P. See *Kensler, Young, and Rhoads*, 465

Riggs, D. S., Lavietes, Paul H., and **Man, Evelyn B.** Investigations on the nature of blood iodine, 363

Riker, A. J. See *McIntire, Peterson, and Riker*, 491

Rittenberg, D. See *Bloch and Rittenberg*, 297

Rose, William C., and **Fierke, Scheuring S.** The relation of aspartic acid and glucosamine to growth, 115

Ross, A. Frank. The fractionation of the amino acids of tobacco mosaic virus protein, 685

S

Schachman, Howard K. An alignment chart for the computation of ultracentrifugation results, 395

Schaefer, A. E., McKibbin, J. M., and **Elvehjem, C. A.** Pantothenic acid deficiency studies in dogs, 321

Schlenk, Fritz, and **Gingrich, Wendell.** Nicotinamide-containing nutrilites for *Hemophilus parainfluenzae*, 295

Schmidt, Carl L. A. See *Tompkins and Schmidt*, 643

Schmidt, L. H., and **Hughes, Hettie B.** Studies on bile acid metabolism. I. The fate of cholic acid in the guinea pig, 771

Scudi, John V., and **Buhs, Rudolf P.** On the colorimetric method for the determination of the K vitamins, 665

Seibert, Florence B., and **Nelson, J. Walter.** Electrophoretic study of the blood protein response in tuberculosis, 29

Shaw, James H. See *Boyer, Shaw, and Phillips*, 417

Shelesnyak, M. C., and **Biskind, M. S.** A simple tissue liquefier, 663

Slade, H. D., Wood, H. G., Nier, A. O.,

Hemingway, Allan, and **Werkman, C. H.** Assimilation of heavy carbon dioxide by heterotrophic bacteria, 133

Slotin, Louis. See *Evans, Slotin, and Vennesland,* 565

Smythe, C. V. See *Drake, Smythe, and King,* 89

Snell, Esmond E., Guirard, Beverly M., and **Williams, Roger J.** Occurrence in natural products of a physiologically active metabolite of pyridoxine, 519

Snyder, Rebecca, and **Katzenelbogen, Solomon.** The distribution of sodium, potassium, calcium, magnesium, inorganic phosphorus, and chloride between the blood serum and cells of normal individuals, 223

Sobotka, Harry. See *Mayer and Sobotka,* 695

Ställberg, Stina, and **Stenhagen, Einar.** Monolayers of compounds with branched hydrocarbon chains. V. Phthiocerol, 171

Stamm, Guido. See *Stein, Moore, Stamm, Chou, and Bergmann,* 121

Stein, William H., Moore, Stanford, Stamm, Guido, Chou, Chi-Yuan, and **Bergmann, Max.** Aromatic sulfonic acids as reagents for amino acids. The preparation of *l*-serine, *l*-alanine, *l*-phenylalanine, and *l*-leucine from protein hydrolysates, 121

Stenhagen, Einar. See *Ställberg and Stenhagen,* 171

Stotz, Elmer, and **Bessey, Otto A.** The blood lactate-pyruvate relation and its use in experimental thiamine deficiency in pigeons, 625

de Sütö-Nagy, G. J. See *Mylon, Winternitz, and de Sütö-Nagy,* 21

Sullivan, M. X. See *Hess and Sullivan,* 545

Sunderman, F. William. Studies in serum electrolytes. XIII. Estimation of total base in serum, 185

T

Talbot, N. B., Berman, R. A., and **MacLachlan, E. A.** Elimination of errors in the colorimetric assay of neutral urinary 17-ketosteroids by means of a color correction equation, 211

Taylor, J. D. See *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473

Tidwell, Herbert C. See *Treadwell, King, Bebb, and Tidwell,* 203

Toennies, Gerrit. The optical rotation of *l*-cystine. A correction, 75

Tompkins, Paul C., and **Schmidt, Carl L. A.** A polarographic characterization of nicotinic acid and related compounds. I. Pyridine and nicotinic acid, 643

Treadwell, C. R., King, W. C., Bebb, K. C., and **Tidwell, Herbert C.** Fatty livers and glucose tolerance in the white rat, 203

Truax, Frederick L. See *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473

Turner, C. W. See *Reineke, Williamson, and Turner,* 285

U

Umberger, Charles J. See *Gettler and Umberger,* 633

V

Van Slyke, Donald D. See *Klemperer, Hastings, and Van Slyke,* 433

Vennesland, Birgit. See *Evans, Slotin, and Vennesland,* 565

Vestling, Carl S. The reduction of methemoglobin by ascorbic acid, 439

Vickery, Hubert Bradford. The preparation of histidine by means of 3,4-dichlorobenzenesulfonic acid, 77

du Vigneaud, Vincent, Brown, George Bosworth, and **Chandler, Joseph P.** The synthesis of *ll*-S-(β-amino-β-carboxyethyl)homocysteine and the replacement by it of cystine in the diet, 59

—. See *Binkley, Anslow, and du Vigneaud,* 559

—. See *Moyer and du Vigneaud,* 373

W

Weinhouse, Sidney, and **Brewer, John I.** Cyclic variations in the lipids of the corpus luteum, 617

Welch, Eileen A. See *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473
Wendel, William B. See *Cox and Wendel,* 331
Werkman, C. H. See *Slade, Wood, Nier, Hemingway, and Werkman,* 133
Westerfeld, W. W. The oxidation of estrone by hydrogen peroxide, 177
White, Abraham, Bonsnes, Roy W., and **Long, C. N. H.** Prolactin, 447
— and **Elman, Robert.** Preparation of tryptophane-containing acid hydrolysates of proteins suitable for intravenous administration, 797
Williams, Roger J. See *Snell, Guirard, and Williams,* 519
Williamson, M. B. See *Reineke, Williamson, and Turner,* 285
Winternitz, M. C. See *Mylon, Winternitz, and de Sütö-Nagy,* 21
Wintersteiner, O. See *Bergström and Wintersteiner,* 503
Wood, Earl H. A low temperature wet ashing method applied to the study of the electrolyte composition of the ventricular musculature and lung parenchyma of the dog, 165
Wood, H. G. See *Slade, Wood, Nier, Hemingway, and Werkman,* 133
Woolley, D. W. Some new dietary essentials required by guinea pigs, 679

Y

Young, N. F. See *Kensler, Young, and Rhoads,* 465
Young, William C. See *Fish, Dorfman, and Young,* 715

INDEX TO SUBJECTS

A

Acetic acid: Aceto-, acetic acid formation, enzymatic, *Lehninger*, 147
—, acid-splitting reaction, *Lehninger*, 147
Cholesterol formation, biological, relation, *Bloch and Rittenberg*, 297
Formation, acetoacetic acid hydrolysis, *Lehninger*, 147
—, enzymatic, from acetoacetic acid, *Lehninger*, 147

Acetoacetic acid: Acetic acid formation, enzymatic, *Lehninger*, 147
Acid-splitting reaction, *Lehninger*, 147

Achlya: Hormones, sexual, *Raper and Haagen-Smit*, 311

Achlya bisexualis: Hormone A, properties, *Raper and Haagen-Smit*, 311

Aconite: Alkaloids, *Jacobs and Craig*, 589, 605
Craig and Jacobs, 611

Aconitum heterophyllum: Heteratisine isolation, *Jacobs and Craig*, 605
Hetisine isolation, *Jacobs and Craig*, 605

Age: Creatine-creatinine excretion, creatine ingestion, effect, *Hyde*, 301

Aging: Heart, changes, *Lowry, Hastings, Hull, and Brown*, 271
Histochemical changes, *Lowry and Hastings*, 257
Lowry, Hastings, Hull, and Brown, 271
Lowry, McCay, Hastings, and Brown, 281
——, determination, *Lowry and Hastings*, 257
Muscle, changes, *Lowry, Hastings, Hull, and Brown*, 271

Alanine: *l*-, preparation, protein hydrolysates, *Stein, Moore, Stamm, Chou, and Bergmann*, 121

Alignment chart: Ultracentrifugation computation, *Schachman*, 395

Alkaloid(s): Aconite, *Jacobs and Craig*, 589, 605
Craig and Jacobs, 611
Aconitum heterophyllum, isolation, *Jacobs and Craig*, 605
Veratrine, *Craig and Jacobs*, 427

Amino acid(s): Sulfonic acids, aromatic, reagents for, *Stein, Moore, Stamm, Chou, and Bergmann*, 121
Tobacco mosaic virus protein, fractionation, *Ross*, 685

Anhydrase: Carbonic, *Main and Locke*, 729
—, zinc effect, *Main and Locke*, 729

Antibody: Pneumococcus specific polysaccharide, combination velocity, *Mayer and Heidelberger*, 567

Apparatus: Tissue liquefier, *Shelesnyak and Biskind*, 663

Arginase: Intestine, testosterone propionate effect, *Kochakian and Clark*, 795
Kidney, testosterone propionate effect, *Kochakian and Clark*, 795
Liver, testosterone propionate effect, *Kochakian and Clark*, 795

Arginine: Pituitary oxytocic hormone, *Potts and Gallagher*, 561
— pressor hormone, *Potts and Gallagher*, 561

Ascorbic acid: Dehydro-, complexes, sulfhydryl compounds, *Drake, Smythe, and King*, 89
Methemoglobin reduction, effect, *Vestling*, 439

Aspartic acid: Growth relation, *Rose and Fierke*, 115

Atisine: *Jacobs and Craig*, 589

Autolysis: Oxidation, reduction, and sulfhydryl, effect, *Bailey, Belfer, Eder, and Bradley*, 721

Autotrophic organism(s): Chemical components, *Mazur and Clarke*, 39

Azotobacter vinelandii: Nitrogen, isotopic, distribution, *Burris*, 509

B

Bacteria: Heterotrophic, heavy carbon dioxide assimilation, *Slade, Wood, Nier, Hemingway, and Werkman,* 133
Lactic acid, growth, glutamine and glutamic acid effect, *Pollack and Lindner,* 655
See also Azotobacter vinelandii, Hemophilus parainfluenzae, Mycobacterium
Base: Total, blood serum, determination, *Sunderman,* 185
Benzene: N,N-Dimethylaminoazo-, split-products, yeast carboxylase, effect, *Kensler, Young, and Rhoads,* 465
Benzoic acid: Oxidation, *Mycobacteria* effect, *Bernheim,* 383
-Related substances, oxidation, *Mycobacteria* effect, *Bernheim,* 383
Betaine: Chemical constitution and transmethylation relation, *Moyer and du Vigneaud,* 373
Bile: Cholic acid keto derivatives, determination, *Hughes,* 11
Desoxycholic acid keto derivatives, determination, *Hughes,* 11
Bile acid(s): Metabolism, *Schmidt and Hughes,* 771
Bipyridine: 2,2'-, iron determination, spectrophotometric, use in, *Koenig and Johnson,* 159
Blood: Calcium distribution, *Snyder and Katzenelbogen,* 223
Chloride distribution, *Snyder and Katzenelbogen,* 223
Ethyl alcohol, determination, *Gettler and Umberger,* 633
Glucose determination, micro-, *Reinecke,* 351
Iodine, nature, *Riggs, Lavietes, and Man,* 363
Lactate-pyruvate, thiamine deficiency, relation, *Stotz and Bessey,* 625
Magnesium distribution, *Snyder and Katzenelbogen,* 223
Phosphorus, inorganic, distribution, *Snyder and Katzenelbogen,* 223
Blood—*continued:*
Potassium distribution, *Snyder and Katzenelbogen,* 223
Protein, tuberculosis, electrophoresis study, *Seibert and Nelson,* 29
Pyruvate-lactate, thiamine deficiency, relation, *Stotz and Bessey,* 625
Sodium distribution, *Snyder and Katzenelbogen,* 223
Urea nitrogen, determination, *Gentzkow,* 531
Water, determination, distillation method, *Miller,* 65
Blood cell(s): Glyceric acid, phosphorylated, formation, species variation, *Rapoport and Guest,* 671
Blood plasma: Lipids, species variation, *Boyd,* 131
Blood serum: Base, total, determination, *Sunderman,* 185
Calcium-protein relationship, calcium and phosphate salts, effect, ultracentrifuge studies, *Masket, Chanutin, and Ludewig,* 763
——, ultracentrifuge studies, *Ludewig, Chanutin, and Masket,* 753
Electrolytes, *Sunderman,* 185
dl-α-Tocopherol, determination, photoelectric, *Mayer and Sobotka,* 695
Brain: Metabolism, *Elliott and Libet,* 227
Oxygen uptake, *Elliott and Libet,* 227
Bushy stunt: Virus protein, homogeneity, *Lauffer,* 99
Butyric acid: *D*-Erythro-α-amino-β,γ-dihydroxy-*n*-, synthesis, *Niemann and Nichols,* 191
Liver oxidation, glycogen effect, *Bobbitt and Deuel,* 1
D-Threo-α-amino-β,γ-dihydroxy-*n*-, synthesis, *Niemann and Nichols,* 191

C

Calcium: Blood, distribution, *Snyder and Katzenelbogen,* 223
-Protein relationship, blood serum, calcium and phosphate salts, effect, ultracentrifuge studies, *Masket, Chanutin, and Ludewig,* 763

Calcium—*continued:*
-Protein relationship, blood serum, ultracentrifuge studies, *Ludewig, Chanutin, and Masket,* 753
— —, calcium caseinate solutions, ultracentrifuge studies, *Chanutin, Ludewig, and Masket,* 737
— —, ultracentrifuge studies, *Chanutin, Ludewig, and Masket,* 737
Ludewig, Chanutin, and Masket, 753
Masket, Chanutin, and Ludewig, 763
Calcium caseinate: Solutions, calcium-protein relationship, ultracentrifuge studies, *Chanutin, Ludewig, and Masket,* 737
Calcium phosphate: Solubility, *Greenwald,* 703, 711
—, hydrogen ion concentration effect, *Greenwald,* 703
— product, *Greenwald,* 711
—, solid phase, amount, effect, *Greenwald,* 703
Calcium salt(s): Blood serum calcium-protein relationship, effect, ultracentrifuge studies, *Masket, Chanutin, and Ludewig,* 763
Carbohydrate(s): Characterization, *Lohmar, Dimler, Moore, and Link,* 551
Carbon dioxide: Heavy, assimilation, heterotrophic bacteria, *Slade, Wood, Nier, Hemingway, and Werkman,* 133
Liver extracts, cell-free, assimilation, *Evans, Slotin, and Vennesland,* 565
Carbonic anhydrase: *Main and Locke,* 729
Zinc effect, *Main and Locke,* 729
Carboxylase: Yeast, activity, *Cajori,* 357
—, N,N-dimethylaminoazobenzene split-products, effect, *Kensler, Young, and Rhoads,* 465
Casein: Iodinated, thyroid activity, effect, *Reineke, Williamson, and Turner,* 285
Catalase: Crystalline, liver, *Dounce,* 497
Preparation and properties, *Dounce,* 497
Cerebroside(s): Nerve tissue, determination, micro-, *Edman,* 219
Chloride(s): Blood, distribution, *Snyder and Katzenelbogen,* 223
Cholestenediol-3(β),5: Δ^6-, 7(β)-hydroxycholesterol, relation, *Bergström and Wintersteiner,* 503
Cholesterol: Formation, biological, acetic acid relation, *Bloch and Rittenberg,* 297
7(β)-Hydroxy-, Δ^6-cholestenediol-3(β),5, relation, *Bergström and Wintersteiner,* 503
Cholic acid: Desoxy-, keto derivatives, bile, determination, *Hughes,* 11
Keto derivatives, bile, determination, *Hughes,* 11
Metabolism, *Schmidt and Hughes,* 771
Choline: Chemical constitution and transmethylation relation, *Moyer and du Vigneaud,* 373
Corpus luteum: Lipids, cyclic variations, *Weinhouse and Brewer,* 617
Creatine: Creatine-creatinine excretion, ingestion and age relation, *Hyde,* 301
-Creatinine excretion, creatine ingestion and age relation, *Hyde,* 301
Creatinine: Creatine-, excretion, creatine ingestion and age relation, *Hyde,* 301
Crown-gall: Polysaccharide, *McIntire, Peterson, and Riker,* 491
Cysteine: Dietary, cystinuria, effect, *Hess and Sullivan,* 545
Formation, *ll*-S-(β-amino-β-carboxyethyl)homocysteine, liver, *Binkley, Anslow, and du Vigneaud,* 559
Cystine: Dietary, *ll*-S-(β-amino-β-carboxyethyl)homocysteine replacement by, effect, *du Vigneaud, Brown, and Chandler,* 59
—, cystinuria, effect, *Hess and Sullivan,* 545
l-, optical rotation, *Toennies,* 75
Pituitary oxytocic hormone, *Potts and Gallagher,* 561
— pressor hormone, *Potts and Gallagher,* 561
Cystinuria: Cysteine, dietary, effect, *Hess and Sullivan,* 545

Cystinuria—*continued:*
Cystine, dietary, effect, *Hess and Sullivan*, 545
Dog, *Hess and Sullivan*, 545
Methionine, dietary, effect, *Hess and Sullivan*, 545
Cytochrome: Reductase, *Haas, Harrer, and Hogness*, 341
—, inhibition and inactivation, *Haas, Harrer, and Hogness*, 341
—, isolation, *Haas, Harrer, and Hogness*, 341
—, oxygen, reaction, *Haas, Harrer, and Hogness*, 341

D

Dehydroascorbic acid: Complexes, sulfhydryl compounds, *Drake, Smythe, and King*, 89
Desoxycholic acid: Keto derivatives, bile, determination, *Hughes*, 11
Dichlorobenzenesulfonic acid: 3,4-, histidine preparation, use, *Vickery*, 77
Diet: Essential elements, guinea pig, *Woolley*, 679
Dimethylaminoazobenzene: N,N-, split-products, yeast carboxylase, effect, *Kensler, Young, and Rhoads*, 465
Duodenum: Lipids, fat absorption, relation, *Reiser*, 109

E

Egg(s): Grasshopper, oil, protyrosinase activators, unimolecular films and fractions, *Allen, Boyd, and Bodine*, 785
Electrolyte(s): Blood serum, *Sunderman*, 185
Heart ventricle, *Wood*, 165
Lung parenchyma, *Wood*, 165
Enzyme(s): Acetic acid formation from acetoacetic acid, effect, *Lehninger*, 147
Ontogenesis, rôle, *Allen, Boyd, and Bodine*, 785
See also Anhydrase, Carboxylase, Myokinase, Oxidase, Polyphenol-oxidase, Protyrosinase, Reductase
Erythro - α - amino - β,γ - dihydroxy - n-butyric acid: *D*-, synthesis, *Niemann and Nichols*, 191
Estradiol: α-, β-estradiol, conversion, ovariectomy-hysterectomy effect, *Fish and Dorfman*, 15
—, estrone, conversion, ovariectomy-hysterectomy effect, *Fish and Dorfman*, 15
Estrone: α-Estradiol conversion, ovariectomy-hysterectomy effect, *Fish and Dorfman*, 15
Oxidation, hydrogen peroxide in, *Westerfeld*, 177
Ethyl alcohol: Blood, determination, *Gettler and Umberger*, 633

F

Fasting: Lipids, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
Liver fat to water relation, effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
— phospholipids, fractionation, effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
Fat(s): Absorption, duodenal lipids, relation, *Reiser*, 109
Liver, water and, relation, fasting effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
Fibrinogen: Determination, protamine use, *Mylon, Winternitz, and de Sütö-Nagy*, 21
Fructose: Intestine, glucose and phlorhizin, effect, *Beck*, 403
Fungus: *See also Achlya*

G

Glucosamine: Growth relation, *Rose and Fierke*, 115
Glucose: Blood, determination, micro-, *Reinecke*, 351
Intestine fructose, effect, *Beck*, 403
— phosphate, organic, effect, *Beck*, 403
Tolerance, fatty livers, relation, *Treadwell, King, Bebb, and Tidwell*, 203

Glutamic acid: Lactic acid bacteria growth factor, *Pollack and Lindner*, 655
Glutamine: Lactic acid bacteria growth factor, *Pollack and Lindner*, 655
Glyceraldehyde 1,3-diphosphate: *dl*-, dimeric, *Baer and Fischer*, 563
Glyceric acid: Phosphorylated, blood cells, formation, species variation, *Rapoport and Guest*, 671
Glycogen: Liver, butyric acid oxidation, effect, *Bobbitt and Deuel*, 1
Grasshopper: Egg oil, protyrosinase activators, unimolecular films and fractions, *Allen, Boyd, and Bodine*, 785
Growth: Aspartic acid effect, *Rose and Fierke*, 115
Glucosamine effect, *Rose and Fierke*, 115
Lactic acid bacteria, glutamine and glutamic acid effect, *Pollack and Lindner*, 655
Muscle, retardation effect, *Lowry, McCay, Hastings, and Brown*, 281
Guinea pig: Dietary essentials, *Woolley*, 679

H

Heart: Phospholipid, serologically active, isolation and purification, *Pangborn*, 247
Ventricle electrolytes, *Wood*, 165
See also Muscle
Hemoglobin: *See also* Methemoglobin
Hemophilus parainfluenzae: Nicotinamide-containing nutrilites, effect, *Schlenk and Gingrich*, 295
Hetasine: *Aconitum heterophyllum*, isolation, *Jacobs and Craig*, 605
Heteratisine: *Aconitum heterophyllum*, isolation, *Jacobs and Craig*, 605
Hexuronic acid: Benzimidazole derivative, identification, *Lohmar, Dimler, Moore, and Link*, 551
Histidine: Preparation, 3,4-dichlorobenzenesulfonic acid use, *Vickery*, 77
Homocysteine: *ll*-S-(β-Amino-β-carboxyethyl)-, cysteine formation, liver, *Binkley, Anslow, and du Vigneaud*, 559
—, diet, cystine replacement, effect, *du Vigneaud, Brown, and Chandler*, 59
—, synthesis, *du Vigneaud, Brown, and Chandler*, 59
Hormone(s): A, *Achlya bisexualis*, *Raper and Haagen-Smit*, 311
Steroid, metabolism, *Fish and Dorfman*, 15
Fish, Dorfman, and Young, 715
Hydrocarbon(s): Branched chain, monolayers, *Ställberg and Stenhagen*, 171
Hydrogen peroxide: Estrone oxidation by, *Westerfeld*, 177
Hydroxycholesterol: 7(β)-, Δ^6-cholestenediol-3(β),5, relation, *Bergström and Wintersteiner*, 503
Hydroxylysine: Dissociation constants, *Klemperer, Hastings, and Van Slyke*, 433
Hypoxanthine: Determination, *Hitchings*, 43
Hysterectomy: Ovariectomy-, α-estradiol conversion to estrone and β-estradiol, effect, *Fish and Dorfman*, 15

I

Intestine: Arginase, testosterone propionate effect, *Kochakian and Clark*, 795
Fructose, glucose and phlorhizin, effect, *Beck*, 403
Phosphate, organic, glucose and phlorhizin, effect, *Beck*, 403
Iodine: Blood, nature, *Riggs, Lavietes, and Man*, 363
Iron: Determination, spectrophotometric, *Koenig and Johnson*, 159
—, —, 2,2′-bipyridine use, *Koenig and Johnson*, 159

K

Ketosis: *Bobbitt and Deuel*, 1
Ketosteroid(s): 17-, neutral, urine, determination, colorimetric, correc-

Ketosteroid(s)—*continued:*
tion equation, *Talbot, Berman, and MacLachlan,* 211
Kidney: Arginase, testosterone propionate effect, *Kochakian and Clark,* 795
Extracts, cell-free, polyphenoloxidase properties, *Cadden and Dill,* 105

L

Lactate: -Pyruvate, blood, relation, thiamine deficiency, *Stotz and Bessey,* 625
Lactic acid: Bacteria, growth, glutamine and glutamic acid effect, *Pollack and Lindner,* 655
Benzimidazole derivative, characterization, *Dimler and Link,* 557
Leucine: *l*-, preparation, protein hydrolysates, *Stein, Moore, Stamm, Chou, and Bergmann,* 121
Lipid(s): Blood plasma, species variation, *Boyd,* 131
Corpus luteum, cyclic variations, *Weinhouse and Brewer,* 617
Duodenum, fat absorption, relation, *Reiser,* 109
Fasting, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473
Phospho-. *See* Phospholipids
Liquefier: Tissue, apparatus, *Sheleznyak and Biskind,* 663
Liver: Arginase, testosterone propionate effect, *Kochakian and Clark,* 795
Butyric acid oxidation, glycogen effect, *Bobbitt and Deuel,* 1
Catalase, crystalline, *Dounce,* 497
Cysteine formation, *ll*-S-(β-amino-β-carboxyethyl)homocysteine, *Binkley, Anslow, and du Vigneaud,* 559
Extract, cell-free, carbon dioxide assimilation, *Evans, Slotin, and Vennesland,* 565
Fat and water relation, fasting effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473
Fatty, glucose tolerance, relation, *Treadwell, King, Bebb, and Tidwell,* 203
Liver—*continued:*
Phospholipids, fractionation, fasting effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473
Water and fat relation, fasting effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor,* 473
Lung: Parenchyma electrolytes, *Wood,* 165
Lysine: Hydroxy-, dissociation constants, *Klemperer, Hastings, and Van Slyke,* 433

M

Magnesium: Blood, distribution, *Snyder and Katzenelbogen,* 223
Manganese: Deficiency, *Boyer, Shaw, and Phillips,* 417
Methemoglobin: Reduction, *Cox and Wendel,* 331
—, ascorbic acid effect, *Vestling,* 439
Methionine: Dietary, cystinuria, effect, *Hess and Sullivan,* 545
Monolayer(s): Hydrocarbons, branched chain, *Ställberg and Stenhagen,* 171
Mosaic: Tobacco, virus protein, amino acids, fractionation, *Ross,* 685
Muscle: Aging effect, *Lowry, Hastings, Hull, and Brown,* 271
Growth retardation effect, *Lowry, McCay, Hastings, and Brown,* 281
Heart, aging effect, *Lowry, Hastings, Hull, and Brown,* 271
See also Heart
Mycobacterium: Benzoic acid and related substances, oxidation, *Bernheim,* 383
Myokinase: *Kalckar,* 299

N

Napelline: *Craig and Jacobs,* 611
Nerve: Tissue, cerebrosides, determination, micro-, *Edman,* 219
Nicotinamide: -Containing nutrilites, *Hemophilus parainfluenzae, Schlenk and Gingrich,* 295
Nicotinic acid: Polarographic study, *Tompkins and Schmidt,* 643
-Related compounds, polarographic study, *Tompkins and Schmidt,* 643

Nitrogen: Isotopic, *Azotobacter vinelandii*, distribution, *Burris*, 509
Urea, blood, determination, *Gentzkow*, 531
Nucleotide(s): Pyridine, tissue inactivation, *in vitro*, *Handler and Klein*, 49

O

Oil: Grasshopper egg, protyrosinase activators, unimolecular films and fractions, *Allen, Boyd, and Bodine*, 785
Orthoptera: Ontogenesis, enzymes, rôle, *Allen, Boyd, and Bodine*, 785
Ovariectomy: -Hysterectomy, α-estradiol conversion to estrone and β-estradiol, effect, *Fish and Dorfman*, 15
Oxidase: Polyphenol-, kidney extracts, cell-free, properties, *Cadden and Dill*, 105
Sarcosine, *Bernheim and Bernheim*, 391
Oxygen: Uptake, brain, *Elliott and Libet*, 227
Oxytocic hormone: *See* Pituitary

P

Pantothenic acid: Deficiency, *Schaefer, McKibbin, and Elvehjem*, 321
Phenylalanine: *l*-, preparation, protein hydrolysates, *Stein, Moore, Stamm, Chou, and Bergmann*, 121
Phlorhizin: Intestine fructose, effect, *Beck*, 403
— phosphate, organic, effect, *Beck*, 403
Phosphate(s): Organic, intestine, glucose and phlorhizin, effect, *Beck*, 403
Phosphate salt(s): Blood serum calcium-protein relationship, effect, ultracentrifuge studies, *Masket, Chanutin, and Ludewig*, 763
Phospholipid(s): Heart, serologically active, isolation and purification, *Pangborn*, 247
Liver, fractionation, fasting effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
Phosphorus: Inorganic, blood, distribution, *Snyder and Katzenelbogen*, 223
Phthiocerol: Monolayers, *Ställberg and Stenhagen*, 171
Pituitary: Oxytocic hormone, cystine, tyrosine, and arginine, *Potts and Gallagher*, 561
Pressor hormone, cystine, tyrosine, and arginine, *Potts and Gallagher*, 561
Pneumococcus: Polysaccharides, specific, antibody combination velocity, *Mayer and Heidelberger*, 567
Polyphenoloxidase: Kidney extracts, cell-free, properties, *Cadden and Dill*, 105
Polysaccharide(s): Crown-gall, *McIntire, Peterson, and Riker*, 491
Specific, pneumococcus, antibody combination velocity, *Mayer and Heidelberger*, 567
Potassium: Blood, distribution, *Snyder and Katzenelbogen*, 223
Pregnancy: Urine pregnandiol-3(α),20(α), isolation, *Fish, Dorfman, and Young*, 715
Pregnandiol-3(α),20(α): Urine, pregnancy, isolation, *Fish, Dorfman, and Young*, 715
Pressor hormone: *See* Pituitary
Prolactin: *White, Bonsnes, and Long*, 447
Protamine: Fibrinogen determination, use, *Mylon, Winternitz, and de Sülö-Nagy*, 21
Protein(s): Blood, tuberculosis, electrophoresis study, *Seibert and Nelson*, 29
Bushy stunt virus, homogeneity, *Lauffer*, 99
Calcium-, relationship, blood serum, calcium and phosphate salts, effect, ultracentrifuge studies, *Masket, Chanutin, and Ludewig*, 763
—, —, — —, ultracentrifuge studies, *Ludewig, Chanutin, and Masket*, 753
—, —, calcium caseinate solutions, ultracentrifuge studies, *Chanutin, Ludewig, and Masket*, 737

Protein(s)—*continued:*
Calcium-, relationship, ultracentrifuge studies, *Chanutin, Ludewig, and Masket,* 737
Ludewig, Chanutin, and Masket, 753
Masket, Chanutin, and Ludewig, 763
Hydrolysates, *l*-serine, *l*-alanine, *l*-phenylalanine, *l*-leucine, preparation, *Stein, Moore, Stamm, Chou, and Bergmann,* 121
—, tryptophane-containing, preparation, intravenous injection effect, *White and Elman,* 797
Tobacco mosaic virus, amino acids, fractionation, *Ross,* 685
Protoveratrine: Dehydrogenation, *Craig and Jacobs,* 427
Protyrosinase: Activators, grasshopper egg oil, unimolecular films and fractions, *Allen, Boyd, and Bodine,* 785
Pyridine: Nucleotides, tissue inactivation, *in vitro, Handler and Klein,* 49
Polarographic study, *Tompkins and Schmidt,* 643
Pyridoxine: Metabolite, natural products, occurrence, *Snell, Guirard, and Williams,* 519
Pyruvate: Lactate-, blood, relation, thiamine deficiency, *Stotz and Bessey,* 625

R

Reductase: Cytochrome, *Haas, Harrer, and Hogness,* 341
—, inhibition and inactivation, *Haas, Harrer, and Hogness,* 341
—, isolation, *Haas, Harrer, and Hogness,* 341
—, oxygen, reaction, *Haas, Harrer, and Hogness,* 341

S

Saccharic acid: Benzimidazole derivative, identification, *Lohmar, Dimler, Moore, and Link,* 551
Sarcosine: Oxidase, *Bernheim and Bernheim,* 391
Serine: *l*-, preparation, protein hydrolysates, *Stein, Moore, Stamm, Chou, and Bergmann,* 121
Sex: Hormones, *Achlya, Raper and Haagen-Smit,* 311
Sodium: Blood, distribution, *Snyder and Katzenelbogen,* 223
Steroid(s): Hormones, metabolism, *Fish and Dorfman,* 15
Fish, Dorfman, and Young, 715
17-Keto-, neutral, urine, determination, colorimetric, correction equation, *Talbot, Berman, and MacLachlan,* 211
Sterol(s): Autoxidation, colloidal aqueous solution, *Bergström and Wintersteiner,* 503
Sulfhydryl: Autolysis effect, *Bailey, Belfer, Eder, and Bradley,* 721
Compounds, dehydroascorbic acid complexes, *Drake, Smythe, and King,* 89
Sulfonic acid(s): Aromatic, amino acid reagents, *Stein, Moore, Stamm, Chou, and Bergmann,* 121
3,4-Dichlorobenzene-, histidine preparation, use, *Vickery,* 77

T

Testosterone propionate: Intestine arginase, effect, *Kochakian and Clark,* 795
Kidney arginase, effect, *Kochakian and Clark,* 795
Liver arginase, effect, *Kochakian and Clark,* 795
Thiamine: Deficiency, blood lactate-pyruvate relation, effect, *Stotz and Bessey,* 625
Determination, chemical, *Kirch and Bergeim,* 575
Threo-α-amino-β,γ-dihydroxy-n-butyric acid: *D*-, synthesis, *Niemann and Nichols,* 191
Thyroid: Iodinated casein effect, *Reineke, Williamson, and Turner,* 285
Tissue(s): Liquefier, apparatus, *Shelesnyak and Biskind,* 663

Tobacco: Mosaic virus protein, amino acids, fractionation, *Ross*, 685
Tocopherol: *dl*-α-, blood serum, determination, photoelectric, *Mayer and Sobotka*, 695
Transmethylation: Betaine, structural specificity relation, *Moyer and du Vigneaud*, 373
Choline, structural specificity relation, *Moyer and du Vigneaud*, 373
Tryptophane: Protein hydrolysates containing, preparation, intravenous injection effect, *White and Elman*, 797
Tuberculosis: Blood protein, electrophoresis study, *Seibert and Nelson*, 29
Tyrosinase: Pro-, activators, grasshopper egg oil, unimolecular films and fractions, *Allen, Boyd, and Bodine*, 785
Tyrosine: Pituitary oxytocic hormone, *Potts and Gallagher*, 561
— pressor hormone, *Potts and Gallagher*, 561

U

Ultracentrifugation: Computation, alignment chart, *Schachman*, 395
Urea: Nitrogen, blood, determination, *Gentzkow*, 531
Urine: 17-Ketosteroids, neutral, determination, colorimetric, correction equation, *Talbot, Berman, and MacLachlan*, 211
Pregnancy, pregnandiol-3(α),20(α), isolation, *Fish, Dorfman, and Young*, 715

V

Veratrine: Alkaloids, *Craig and Jacobs*, 427
Proto-, dehydrogenation, *Craig and Jacobs*, 427
Virus: Bushy stunt, protein, homogeneity, *Lauffer*, 99
Tobacco mosaic protein, amino acids, fractionation, *Ross*, 685
Vitamin(s): K, determination, colorimetric, *Scudi and Buhs*, 665

W

Water: Blood, determination, distillation method, *Miller*, 65
Liver, fat and, relation, fasting effect, *MacLachlan, Hodge, Bloor, Welch, Truax, and Taylor*, 473
Tissue, *Miller*, 65

Y

Yeast: Carboxylase, activity, *Cajori*, 357
—, N,N-dimethylaminoazobenzene split-products, effect, *Kensler, Young, and Rhoads*, 465

Z

Zein: Peptization, critical temperature, ethyl alcohol, *Manley and Evans*, 701
Zinc: Carbonic anhydrase, effect, *Main and Locke*, 729